

Product description

Siedle Axiom: multi-functional IP video indoor station. Wall version without receiver.

Communication centre for door communication, telephony and building communication.

Available in six versions: whether wall mounted, used as a table-top device or securely fitted to a piece of furniture, Siedle Axiom turns a technical device into a design feature. All versions are available with or without cordless receiver.

Functions

Calling, speech, vision, door release, telephone, light.

Highlights

Striking design, intuitive operation, excellent handsfree communication, easy mounting.

Other performance features

- 17.8 cm (7") touchscreen, resolution 1024 x 600 pixel
- Configurable interface
- Magnify and zoom function
- Brilliant image reproduction
- Excellent audio quality
- Sensors regulate proximity activation, brightness adjustment
- Buttons with coloured backlit symbols
- System device incorporated in the In-Home bus via a Smart Gateway or a Smart Gateway Professional
- Access to video memory
- Public network telephony via TC system
- Access to home automation visualisation interface

Made in Germany

Designed, engineered and produced in Furtwangen in the Black Forest.

Specifications

Operating voltage:	PoE in accordance with 802.3af (PoE class 3)
Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	185 x 144 x 18

Article information

Article designation

A 180-10 R

SAP article no.


210006514-00

CG

D

Siedle Axiom for wall
mounting
A 180-10

Page 2



Article designation

A 180-10 S

A 180-10 W

SAP article no.

210006509-00

210005918-00


CG


D

D

Siedle Axiom for wall
mounting
A 180-10

Page 3





Siedle Axiom for wall
mounting
A 180-10

Page 4

A 180-... Siedle Axiom	Product information	1 MB	Download
Siedle Axiom A 180-...	Manual	413 kB	Download
A 180-10, A 180-20, A180-30 Siedle Axiom	Declaration of Conformity	1,2 MB	Download